

Distributed Digital Preservation: The MetaArchive Approach

Rachel Howard
Digital Initiatives Librarian
University of Louisville Libraries
rachel.howard@louisville.edu


THE GREATEST THREAT

to digital assets is not fire, flood or theft. It's the hazy assumption that cultural heritage institutions have taken the steps needed to preserve them.

Most often, we haven't. Which is why the MetaArchive Cooperative is leading a national effort to embrace distributed digital preservation, the future practice of digitally safeguarding the very items that define our culture and identity.

The problem(s):

- Digital information is ephemeral.
- Digital information is proliferating.
- Digital preservation requires intention and resources.



“Data storage – old and new.” Made available under Creative Commons 2.0 Attribution License. Available at: <http://flickr.com/photos/ian-s/2152798588/in/set-72157602236671297/>.

At-risk digital content:

- Web-based projects, exhibitions, and instructional materials with significant content and/or dynamic components.
- Digital media, including video and sound recordings.
- Institutional records or publications created in digital formats.
- Datasets and other primary research materials.
- Personal papers or creative works developed in digital format.

Simplest solutions:

- Save files in archival formats
 - Non-proprietary
 - Uncompressed (or at least not lossy)
 - In widespread use
 - Usable across platforms
 - Examples:
 - Images: tiff, jpeg2000
 - Audio: wav, aiff (mac)
 - Text: plain text (txt); xml; pdf-a
 - Video: motion jpeg, Motion jpeg2000?
- Make multiple copies
 - Preferably, have a copy on a server that is backed up.
 - Have another copy on Gold CD
 - Keep the CD somewhere distant from the server
 - External hard drives
- Keep technical and administrative metadata
- Implement a preservation plan

Larger-scale solutions require resources:

- National Digital Information Infrastructure and Preservation Program (NDIIPP):
 - Government funding to:
 - Build and support a national network of partners working together to preserve digital content.
 - Identify and preserve at-risk digital content.
 - Support development and use of tools, models, and methods for digital preservation.
 - Develop a national digital collection and preservation strategy.
 - Overall effort involves more than 100 partners and 245 terabytes of data.


Larger-scale solutions build on working models:

- Lots of Copies Keep Stuff Safe (LOCKSS)
 - Software developed at Stanford University for e-journal preservation
 - Designed to be inexpensive
 - Open source
 - Requires a server but memory keeps getting cheaper.
 - Does require initial support from someone with knowledge of servers and development.
- MetaScholar Initiative
 - Digital library research collaborations led by Emory University

Funding + Open Source Software + Collaboration = MetaArchive

- Establish a distributed digital preservation network for critical and at-risk content relating to the history and culture of the American South.
- Develop a conspectus, or list of targeted collections, to insure preservation of the digital materials most vulnerable to loss and in formats considered most at risk.
- Use LOCKSS to collect digital content from each other.
 - Adapting journal concepts (“volumes”) to archival digital materials.

MetaArchive Founding Partners



- Emory University (Atlanta, Georgia)
- Georgia Tech (Atlanta, Georgia)
- University of Louisville (Louisville, Kentucky)
- Virginia Tech (Blacksburg, Virginia)
- Florida State University (Tallahassee, Florida)
- Auburn University (Auburn, Alabama)
- [Library of Congress (Washington, DC)]

Private LOCKSS Network (PLN)

- Multiple geographically-dispersed sites host preservation nodes
 - Server is dedicated to collecting materials from every other node, checking to make sure each copy is complete and valid.
 - Participants communicate permission to the LOCKSS system to harvest their materials via a web crawler.
- Disaster recovery
 - A damaged cache can be re-built and re-populated from the identical sets of data at the other nodes.
- Additional modules accommodate non-serialized content
 - Conspectus Database
 - Cache Manager

Documenting collections to harvest: the Conspectus Database

- Database of targeted digital content
 - Cultural heritage of the American South (2004-2007)
 - ETDs (2008)
 - Format agnostic
- Includes metadata elements developed specifically for the MetaArchive:
 - Describes the collections
 - Provides information necessary for storage estimates, format migration, location, ownership and rights issues.

Conspectus data elements:

[Access Rights](#)
[Accrual Periodicity](#)
[Accrual Policy](#)
[Accumulation Date Range](#)
[Alternative Title](#)
[Associated Collection](#)
[Associated Publication](#)
[Bytes](#)
[Cataloged Status](#)
[Catalogue or description](#)
[Collection Size](#)
[Contents Date Range](#)
[Creator](#)
[Custodial History](#)
[Description](#)
[Format Characteristics](#)
[Institution Collection Identifier](#)
[Is Available Via](#)

[Language](#)
[LOCKSS Manifest Page](#)
[Manifestation](#)
[MetaArchive Collection Identifier](#)
[OAI Provider](#)
[Publisher](#)
[Recommended Harvest Procedure](#)
[Rights](#)
[Risk Factors](#)
[Risk Rank](#)
[Spatial Coverage](#)
[SubCollection](#)
[Subject](#)
[SuperCollection](#)
[Temporal Coverage](#)
[Title](#)
[Type](#)

Preparing items for harvest:

- Define what is to be harvested
 - “Data wrangling”
 - Organize digital files into Archival Units (AUs)
- Provide access to the content and grant permission to harvest
 - Manifest pages (HTML)
- Tell LOCKSS what to harvest and where to find it
 - Plugins (Java)
- Notify partners to harvest new content

Archival Units

- One Volume of an Electronic Journal
- One Year of an ETD collection
- One Year of a scanned yearbook collection
- A folder of archival tif images or sound files

Manifest Pages

The Tin Horn LOCKSS Manifest Page

- [1925](#)
- [1929](#)
- [1930](#)
- [1931](#)



LOCKSS system has permission to collect, preserve, and serve this Archival Unit.

Plugins

- Instruct the LOCKSS software how to crawl and audit content.
- Plugin Repository accessed by LOCKSS box upon startup.

Harvesting collections: the Cache Manager



Journal Configuration

meta-vault.ekstrom.louisville.edu (metaarchive group)

17:25:32 06/05/08, up 4w0d4h

[Journal Configuration](#)
[Admin Access Control](#)
[Proxy Access Control](#)
[Proxy Options](#)
[Proxy Info](#)
[Daemon Status](#)
[Contact Us](#)
[Help](#)

Add Titles	Add one or more groups of titles
Remove Titles	Remove selected titles
Backup	Backup cache config to a file on your workstation
Restore	Restore cache config from a file on your workstation
Manual Add/Edit	Add, Edit or Delete an individual AU

L O T S O F C O P I E S K E E P S T U F F S A F E TM

Daemon 1.30.3 built 28-Apr-08 09:59:34 on narses2, Linux RPM 1

Collaboration requires communication

- Committees:
 - Steering
 - Content
 - Preservation
 - Technical
- Communications:
 - Conference calls (1/week)
 - Steering Committee meetings (2/year)
 - Listserv(s)
 - Wiki for document development
 - Participation in NDIIPP meetings

Sustaining and growing the collaboration

- Flexible organizational model
 - Charter broadly defines mission, goals, and activities of the Cooperative
 - Membership Agreement details responsibilities of members of Cooperative
 - Establishment of nonprofit organization, Educopia Institute, to administer Cooperative
 - Minimal overhead.
- Improving and expanding existing collaboration
 - Evolving standards and guidelines to offer as a model for new networks and collaborations
 - Enhancing technology, tools, and services
 - Wide applicability to a range of institutions and digital content
- Spreading the word
 - Outreach to libraries, archives, and museums
 - Participation in Section 108 Study Group
- Ongoing exploration of projects to investigate and advance digital preservation.

Membership types and fees

- All membership types presuppose membership in the LOCKSS Alliance (rates based on Carnegie classification) and a 3-year commitment
- Sustaining Members
 - Leadership role
 - Operate a node
 - Contribute more of content/year to be harvested
 - Cost: \$5K/year or \$12K/3 years
- Preservation Members
 - Operate a node
 - Contribute some content/year to be harvested
 - Cost: \$1K/year
- Contributing Members
 - Contribute minimal content/year to be harvested (can buy more space)
 - Cost: \$200/year

Further reading

- MetaArchive - <http://www.metaarchive.org/>
- LOCKSS - <http://www.lockss.org/>
- NDIIPP - <http://www.digitalpreservation.gov/>
- Digital Preservation Management Tutorial - http://www.library.cornell.edu/iris/tutorial/dpm/eng_index.html